

**SAFETY DATA SHEET****SECTION 1. IDENTIFICATION****Product identifier used on the label**: **Killem Biocide****Product Code(s)** : MECT5**Recommended use of the chemical and restrictions on use**

: Biocidal product. No restrictions on use known.

**Chemical family** : Mixture.**Name, address, and telephone number of the manufacturer:****FPPF Chemical Company, Inc.**

117 West Tupper Street

Buffalo, NY, USA

14201

Manufacturer's Telephone # : 1-800-735-3773

**24 Hr. Emergency Tel #** : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside U.S.).**Name, address, and telephone number of the supplier:**

Refer to manufacturer

**SECTION 2. HAZARDS IDENTIFICATION****Classification of the chemical**

Clear amber liquid. Slight odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

## Classification

Flammable Liquid - Category 4

Skin Irritation - Category 2

Eye Damage/Irritation - Category 1

Skin sensitization -Category 1

**Label elements***Hazard pictogram(s)**Signal Word***DANGER!***Hazard statement(s)*

Combustible liquid.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

## SAFETY DATA SHEET

*Precautionary statement(s)*

Keep away from flames and hot surfaces. - No smoking.  
 Wear protective gloves and eye/face protection.  
 Avoid breathing mist or vapor.  
 Wash thoroughly after handling.  
 Contaminated work clothing should not be allowed out of the workplace.

IF ON SKIN: Wash with plenty of soap and water.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 Wash contaminated clothing before re-use.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing. Immediately call a poison center/doctor.

In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store in well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards**

No OSHA defined hazard classes.  
 Other hazards which do not result in classification: May be sensitive to static discharge. Burning produces obnoxious and toxic fumes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.  
 Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Environmental precautions: Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Methylene bis(thiocyanate)	Methylene dithiocyanate	6317-18-6	2
Thiocyanic acid, (2-benzothiazolythio)methyl ester	2- (Thiocyanomethylthio)benzothiazole	21564-17-0	2

**SECTION 4. FIRST-AID MEASURES**

**Description of first aid measures**

- Ingestion* : Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth if victim is unconscious. Call a physician.
- Inhalation* : If inhaled: Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration.
- Skin contact* : IF ON SKIN: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
- Eye contact* : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Flush eyes with water for at least 20 minutes. Immediately call a POISON CENTER or doctor/physician.

**Most important symptoms and effects, both acute and delayed**

- : Causes serious eye damage. Symptoms may include severe pain, blurred vision, redness and corrosive damage. Causes skin irritation. Symptoms may include redness, itching and swelling. May cause an allergic skin reaction (e.g. swelling, rash and eczema).

## SAFETY DATA SHEET

### Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

##### *Suitable extinguishing media*

- : Dry chemical, foam, carbon dioxide and water fog.

##### *Unsuitable extinguishing media*

- : Do not use water stream as it may scatter and spread fire.

#### Special hazards arising from the substance or mixture / Conditions of flammability

- : Combustible liquid and vapor. Keep away from heat, sparks and open flames. Use only outdoors or in a well-ventilated area. May be sensitive to static discharge. Vapors may travel considerable distance to a source of ignition and flash back. Vapours are heavier than air and collect in confined and low-lying areas. Product may float, and be re-ignited at the water's surface. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

**Flammability classification (OSHA 29 CFR 1910.106):** Flammable Liquid - Category 4

**Hazardous combustion products:** Carbon oxides ; Nitrogen oxides ; Sulfur oxides

#### Special protective equipment and precautions for firefighters

##### *Protective equipment for fire-fighters*

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

##### *Special fire-fighting procedures*

- : Move containers from fire area if safe to do so. Use water spray to keep containers cool. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the cleanup must wear appropriate personal protective equipment. For personal protection see section 8.

**Environmental precautions** : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

#### Methods and material for containment and cleaning up

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Dike for water control. For spilled liquids: absorb spill with inert, non-combustible material such as sand, then place into suitable containers. Do not use combustible absorbents, such as sawdust. Use only non-sparking tools. Bond and ground transfer containers and equipment to avoid static accumulation. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.

#### Special spill response procedures

- : In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887. If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): None.

## SAFETY DATA SHEET

### SECTION 7. HANDLING AND STORAGE

**Precautions for safe handling**

: Keep away from flames and hot surfaces. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is being used. Wear protective gloves and eye/face protection. Avoid breathing mist or vapor. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after handling. Use explosion-proof electrical/ventilating/lighting/equipment. Do not cut, weld, braze, solder, drill, grind or expose containers to heat, flame, spark or other sources of ignition. Avoid contact with incompatible materials.

**Conditions for safe storage** : Keep containers tightly closed in a dry, cool and well-ventilated place. Store at temperatures not exceeding 50°C ( 122°F).Store locked up. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

**Incompatible materials** : Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>					
	<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
		<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Methylene bis(thiocyanate)	N/Av	N/Av	N/Av	N/Av	
Thiocyanic acid, (2-benzothiazolythio)methyl ester	N/Av	N/Av	N/Av	N/Av	

**Exposure controls**

**Ventilation and engineering measures**

: Use only outdoors or in a well-ventilated area. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

**Respiratory protection** : If engineering controls and work practices are not effective in controlling exposure to this material, then wear suitable approved respiratory protection. If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

**Skin protection** : Wear protective gloves/clothing. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye / face protection** : Wear as appropriate: Safety glasses with side-shields or chemical splash goggles. A full face shield may also be necessary.

**Other protective equipment** : Eye wash facilities and emergency shower must be available when handling this product. Other equipment may be required depending on workplace standards.

**General hygiene considerations**

: Avoid breathing mist or spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not get in eyes, on skin, or on clothing. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Clear amber liquid.  
**Odour** : Slight odour.  
**Odour threshold** : N/Av  
**pH** : N/Av

**SAFETY DATA SHEET**

**Melting/Freezing point** : < -30°C (< -22°F)  
**Initial boiling point and boiling range**  
: >100°F (>212°C)  
**Flash point** : 70°C / 158°F  
**Flashpoint (Method)** : Tag closed cup  
**Evaporation rate (BuAe = 1)** : N/Av  
**Flammability (solid, gas)** : N/Av  
**Lower flammable limit (% by vol.)**  
: N/Av  
**Upper flammable limit (% by vol.)**  
: N/Av  
**Oxidizing properties** : None known.  
**Explosive properties** : Not explosive  
**Vapour pressure** : N/Av  
**Vapour density** : N/Av  
**Relative density / Specific gravity**  
: 1.03  
**Solubility in water** : N/Av  
**Other solubility(ies)** : N/Av  
**Partition coefficient: n-octanol/water or Coefficient of water/oil distribution**  
: N/Av  
**Auto-ignition temperature** : N/Av  
**Decomposition temperature** : N/Av  
**Viscosity** : N/Av  
**Volatiles (% by weight)** : N/Av  
**Volatile organic Compounds (VOC's)**  
: N/Av  
**Absolute pressure of container**  
: N/Av  
**Flame projection length** : N/Av  
**Other physical/chemical comments**  
: None known or reported by the manufacturer.

**SECTION 10. STABILITY AND REACTIVITY**

**Reactivity** : Not normally reactive.  
**Chemical stability** : Stable under normal conditions.  
**Possibility of hazardous reactions**  
: Hazardous polymerization does not occur.  
**Conditions to avoid** : Keep away from heat, sparks and flame. Do not use in areas without adequate ventilation. Take precautionary measures against static discharge. Avoid contact with incompatible materials.  
**Incompatible materials** : Oxidizing agents  
**Hazardous decomposition products**  
: None reported. Refer also to hazardous combustion products, Section 5.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure:**

**Routes of entry inhalation** : YES  
**Routes of entry skin & eye** : YES  
**Routes of entry Ingestion** : NO  
**Routes of exposure skin absorption**  
: YES

## SAFETY DATA SHEET

### Potential Health Effects:

#### Signs and symptoms of short-term (acute) exposure

*Sign and symptoms Inhalation*

: May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath.

*Sign and symptoms ingestion*

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

*Sign and symptoms skin*

: Causes skin irritation. Symptoms may include redness, itching and swelling.

*Sign and symptoms eyes*

: Causes serious eye damage. Symptoms may include severe pain, blurred vision, redness and corrosive damage.

#### Potential Chronic Health Effects

: Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

#### Mutagenicity

: Not expected to be mutagenic in humans.

#### Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

#### Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

#### Sensitization to material

: May cause an allergic skin reaction (e.g. swelling, rash and eczema). Not expected to be a respiratory sensitizer.

#### Specific target organ effects

: The substance or mixture is not classified as specific target organ toxicant, single exposure.  
The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Medical conditions aggravated by overexposure

: Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is being used.

#### Synergistic materials

: Not available.

#### Toxicological data

: The calculated ATE values for this mixture are: ATE oral = 2676 mg/kg

<u>Chemical name</u>	<u>LC<sub>50</sub>(4hr)</u> <u>inh, rat</u>	<u>LD<sub>50</sub></u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Methylene bis(thiocyanate)	N/Av	55 mg/kg	N/Av
Thiocyanic acid, (2-benzothiazolylthio)methyl ester	N/Av	2 g/kg	>5 g/kg

#### Other important toxicological hazards

: None known or reported by the manufacturer.

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Very toxic to aquatic life with long lasting effects. Avoid release to the environment.

#### *Ecotoxicity data:*

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Methylene bis(thiocyanate)	6317-18-6	N/Av	N/Av	N/Av
Thiocyanic acid, (2-benzothiazolylthio)methyl ester	21564-17-0	N/Av	N/Av	N/Av

### SAFETY DATA SHEET

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Methylene bis(thiocyanate)	6317-18-6	N/Av	N/Av	N/Av
Thiocyanic acid, (2-benzothiazolylthio)methyl ester	21564-17-0	N/Av	N/Av	N/Av

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Methylene bis(thiocyanate)	6317-18-6	N/Av	N/Av	N/Av
Thiocyanic acid, (2-benzothiazolylthio)methyl ester	21564-17-0	N/Av	N/Av	N/Av

**Persistence and degradability**

: No data is available on the product itself.

**Bioaccumulation potential**

: No data is available on the product itself. See the following data for ingredient information.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Methylene bis(thiocyanate) (CAS 6317-18-6)	N/Av	N/Av
Thiocyanic acid, (2-benzothiazolylthio)methyl ester (CAS 21564-17-0)	3.23	N/Av

**Mobility in soil**

: No data is available on the product itself.

**Other Adverse Environmental effects**

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Handling for Disposal**

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

**Methods of Disposal**









: Dispose in accordance with all applicable regulations.

**RCRA**

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

### SAFETY DATA SHEET

**SECTION 14. TRANSPORT INFORMATION**

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	UN2922	Corrosive liquids, toxic, n.o.s.(2-(Thiocyanomethylthio) benzothiazole, Methylene bis (thiocyanate))	8(6.1)	III	 
<b>49CFR/DOT Additional information</b>	May be shipped as Limited Quantity when transported in containers no larger than 5.0 Litres; in packages not exceeding 30 kg gross mass. Refer to 49 CFR Section 173.154.				
TDG	UN2922	CORROSIVE LIQUID, TOXIC, N.O.S.(2-(Thiocyanomethylthio) benzothiazole, Methylene bis (thiocyanate))	8(6.1)	III	 
<b>TDG Additional information</b>	May be shipped as a Limited Quantity when transported in containers no larger than 5 L (1.3 gallons); in packages not exceeding 30 kg (66 pounds) gross mass.				
IMDG	UN2922	CORROSIVE LIQUID, TOXIC, N.O.S.(2-(Thiocyanomethylthio) benzothiazole, Methylene bis (thiocyanate))	8(6.1)	III	 
<b>IMDG Additional information</b>	Consult the IMDG regulations for exceptions.				
ICAO/IATA	UN2922	Corrosive liquid, toxic, n.o.s.(2-(Thiocyanomethylthio) benzothiazole, Methylene bis (thiocyanate))	8(6.1)	III	 
<b>ICAO/IATA Additional information</b>	Refer to the appropriate Packing Instruction, prior to shipping this material. Review all State and Operator Variations, prior to shipping this material.				

- Special precautions for user** : Appropriate advice on safety must accompany the package. Keep away from heat, sparks and open flame. - No smoking.
- Environmental hazards** : This product meets the criteria for an environmentally hazardous material according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.
- Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
: Not available.

**SECTION 15 - REGULATORY INFORMATION**

**US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Methylene bis(thiocyanate)	6317-18-6	Yes	N/Ap	N/Av	No	N/Ap
Thiocyanic acid, (2-benzothiazolylthio)met hyl ester	21564-17-0	NL	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Physical hazards (Flammable )Health hazards (Skin irritation ;Eye Damage ;Skin sensitization ).Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.



## SAFETY DATA SHEET

**US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Methylene bis(thiocyanate)	6317-18-6	No	N/Ap	No	No	No	No	No	No
Thiocyanic acid, (2-benzothiazolythio)methyl ester	21564-17-0	No	N/Ap	No	Yes	No	Yes	No	No

**Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Refer to Section 2 for a WHMIS Classification for this product.

**International Information:**

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Methylene bis(thiocyanate)	6317-18-6	228-652-3	Present	Present	(2)-1693	KE-23862	Present	May be used as a single component chemical under an appropriate group standard.
Thiocyanic acid, (2-benzothiazolythio)methyl ester	21564-17-0	244-445-0	Present	Present	(5)-3424	KE-33783	Present	HSR003164

**SECTION 16. OTHER INFORMATION**

**Legend**

- : ACGIH: American Conference of Governmental Industrial Hygienists
- ATE: Acute Toxicity Estimate
- CA: California
- CAS: Chemical Abstract Services
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
- CFR: Code of Federal Regulations
- CNS: Central Nervous System
- CSA: Canadian Standards Association
- DOT: Department of Transportation
- EC50: Effective Concentration 50%
- EINECS: European Inventory of Existing Commercial chemical Substances
- ENCS: Existing and New Chemical Substances
- EPA: Environmental Protection Agency
- HMIS: Hazardous Materials Identification System
- HSDB: Hazardous Substances Data Bank
- IARC: International Agency for Research on Cancer
- IECSC: Inventory of Existing Chemical Substances
- IMDG: International Maritime Dangerous Goods
- Inh: Inhalation
- KECI: Korean Existing Chemicals Inventory
- KECL: Korean Existing Chemicals List
- LC: Lethal Concentration

### SAFETY DATA SHEET

LD: Lethal Dose  
 MA: Massachusetts  
 MN: Minnesota  
 MSHA: Mine Safety and Health Administration  
 N/Ap: Not Applicable  
 N/Av: Not Available  
 NFPA: National Fire Protection Association  
 NIOSH: National Institute of Occupational Safety and Health  
 NJ: New Jersey  
 NOEC: No observable effect concentration  
 NTP: National Toxicology Program  
 OECD: Organisation for Economic Co-operation and Development  
 OSHA: Occupational Safety and Health Administration  
 PA: Pennsylvania  
 PEL: Permissible exposure limit  
 PICCS: Philippine Inventory of Chemicals and Chemical Substances  
 RCRA: Resource Conservation and Recovery Act  
 RI: Rhode Island  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 SARA: Superfund Amendments and Reauthorization Act  
 SDS: Safety Data Sheet  
 STEL: Short Term Exposure Limit  
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
 TLV: Threshold Limit Values  
 TPQ: Threshold Planning Quantity  
 TSCA: Toxic Substance Control Act  
 TWA: Time Weighted Average  
 WHMIS: Workplace Hazardous Materials Identification System

**References**

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2018.
- 2. International Agency for Research on Cancer Monographs, searched 2018.
- 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2018 (Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists - March 2015 version.
- 6. California Proposition 65 List - November 23, 2018 version.
- 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2018.

**Preparation Date (mm/dd/yyyy)**

: 03/15/2019

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.

<p><b><u>Prepared for:</u></b>                  FPPF Chemical Company, Inc.                  117 West Tupper Street                  Buffalo, NY, USA 14201                  Telephone: 1-800-735-3773                  Please direct all enquiries to FPPF Chemical Company</p>	
<p><b><u>Prepared by:</u></b>                  ICC The Compliance Center Inc.                  Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)  <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

#### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from FPPF Chemical Company, Inc and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and FPPF Chemical Company, Inc expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other

## **SAFETY DATA SHEET**

product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and FPPF Chemical Company, Inc.

**END OF DOCUMENT**